Wheel Charts

Status as of 3/12/2020.

Can't find your wheels? See earlier charts: https://img2.associatedelectrics.com/pdf/WheelCharts-2020.03.pdf

Consult these charts to see if our wheels fit your model. Tires are not taken under consideration. Click through to see wheel styling and catalog info.

Wheel diameter reflects the wall/lip diameter (where it exists), not the inside recessed diameter. (A 2.2" wheel would be 2 3/8" on this page.)

 \mathbf{D} = discontinued. \mathbf{B} = Black. \mathbf{C} = Chrome. \mathbf{S} = Silver. \mathbf{SS} = Satin Silver. \mathbf{Y} = Fluorescent yellow. \mathbf{Br} = Bronze. Wheels are natural color unless otherwise specified.

1:8 Truck and Buggy Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia.	Pin Type	Offset	Hex
89296 89297	F/R	3 1/4" (83mm)	1 21/32"	15/32"	No	none	17mm

1:10 Buggy Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia.	Pin Type	Offset	Hex
6805W D 6805Y DY	Rear	1.75"	3-piece	Axle 6800 =1/4" 6805W/Y = 3/16"	Yes	none	-
9589	Rear	2 3/8" (2.2" wheel)	1 1/2"	Axle: 3/16"	Yes	none	
9690 9691 Y	Front	2 3/8" (2.2" wheel)	1"	Axle: 3/16"	No	none	12mm
9695 9696 Y	Rear	2 3/8" (2.2" wheel)	1 1/2"	Axle: 3/16"	No	none	12mm
9767 D	Front	2 3/8" (2.2" wheel)	1"	Axle: 3/16"	No	none	10mm
<u>91575</u> D	Front		1"	Axle: 3/16	No	none	12mm
91757 91758 Y	Front	2 3/8" (2.2" wheel)	3/4"	3/16"	No	no	12mm
92095 92096 Y	Front	2 3/8" (2.2" wheel)	1 1/16"	3/16"	No	no	12mm

1:10 Short Course Truck Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia.	Pin Type	Offset	Hex
<u>71040</u>	F/R	outside = 2 3/8", inside = 3 5/16"	1 11/16"	3/16"	No	none	12mm
<u>91101</u> DB	F/R	outside = 2 3/8", inside = 3 5/16"	1 11/16"	3/16"	No	none	12mm

1:10 Other Truck Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia.	Pin Type	Offset	Hex
7842 D 7842Y DY	Front	2 3/8" (2.2" wheel)	2"	bearing: 3/8"	No	none	
7852 7853 Y	Rear	2 3/8" (2.2" wheel)	2"	axle: 3/16"	No	none	12mm

1:12 Crawler Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia	Pin Type	Offset	Hex
41051 C 41052 B 41053 SS	F/R	1.55" (45mm)	20mm	4.5mm	No	None	12mm
<u>41085</u> B	F/R	1.9" (51mm)	25mm	4.5mm	No	5mm	12mm

1:14 Wheels

Part #	Front/Rear	Wheel Dia.	Wheel Width	Axle Hole dia	Pin Type	Offset	Hex
<u>21549</u> B	Front	2.0" (50.8mm)	1"	3.75mm	No	no	12mm
<u>21551</u> B	F/R	2.0" (50.8mm)	1.2"	3.75mm	No	no	12mm











