

## Front Suspension:

Reset Forms

<b>Ride Height:</b>	15 mm
<b>Camber:</b>	-1°
<b>Toe:</b>	-1/2°
<b>Arm Type:</b>	#91674 Gullwing, Hard
<b>Tower Type:</b>	#91768 Gullwing
<b>Caster Block Insert:</b>	5°
<b>Steering Block:</b>	4
<b>Bulkhead Type:</b>	#91659 Brass
<b>Kick-Up Angle:</b>	25°
<b>Wheel Hex:</b>	#91682 Aluminum
<b>Notes:</b>	#1366 FT Aluminum Servo Horn, 25T #91669 FT Aluminum Steering Rack #91668 FT Aluminum Steering Bellcranks

**Anti Roll Bar:**

White (0.8mm)   
 Gray (0.9mm)   
 Blue (1.0mm)   
 Other:

**Bump Steer Spacing:** 1 mm

**Axle Height:**

+3   
 +2   
 +1   
 0





**Ball Stud Spacing:** 1 mm

**Steering Plate:** #91679

**Steering Stop Spacing:** 0 mm

**Ball Stud Spacing:** 1 mm

**Caster Block Spacing:** 1 mm



## Rear Suspension:

<b>Ride Height:</b>	16 mm
<b>Camber:</b>	-1°
<b>Tower Type:</b>	#91769 Standard
<b>Wheel Hex:</b>	#91610 FT 7.0 mm
<b>CVA Bone Length:</b>	#91434 67 mm
<b>CVA Pin Location:</b>	Towards Hex
<b>Hub Spacing:</b>	Forward <input type="checkbox"/> Middle <input type="checkbox"/> Back <input checked="" type="checkbox"/>
<b>Shock Mounting Position:</b>	Front of Arm <input checked="" type="checkbox"/> Rear of Arm <input type="checkbox"/>
<b>Notes:</b>	#91778 B6.1 Rear Arms, Hard

**Anti Roll Bar:**

White (1.2mm)   
 Gray (1.3mm)   
 Blue (1.4mm)   
 Other:

**Rear Hub Link Setting:**

Plastic Hub  Aluminum Hub  Ball Stud Spacing: \_\_\_\_\_

**Up** **Down**

**C Mount Inserts:** 1°  0.5°

Aluminum  Brass


**D Mount Inserts:** 1°  0.5°

Aluminum  Brass

**Hub Insert:**

+3  +2  +1  0

**Ball Stud Spacing:** 2 mm



## Electronics:

<b>Radio:</b>	Sanwa M12S	<b>Servo:</b>	#27100 Reedy RT1206
<b>EPA: Throttle:</b>	100 %	<b>Brake:</b>	100 %
<b>ESC:</b>	#27004 Reedy Blackbox 510R		
<b>ESC Settings:</b>	See Setup Sheet		
<b>Motor:</b>	Reedy M3 (#275 12.5mm Mod Rotor)		
<b>Wind:</b>	6.5	<b>Timing:</b>	32°
<b>Pinion:</b>	21	<b>Spur:</b>	78
<b>Battery:</b>	#27320 Reedy Zapper SG 4000 80C LP		
<b>Battery Position:</b>	5F		

## Drivetrains:

**Transmission:** **Laydown:**

**3 Gear:**  **Layback:**   
**4 Gear:**  **Stand Up:**

**Differential:** **Ball Diff:**   
**Height:** 3 **Gear Diff:**

**Notes:** 6,000 - 2 Gear

## Slipper Clutch:

**Type:** Team Associated

**# of Pads:** 2 x #9611

## Shocks:

	Front	Rear
<b>Piston:</b>	2 x 1.6 Flat Gray	2 x 1.7 Flat Machined
<b>Fluid:</b>	40 wt	32.5 wt
<b>Spring:</b>	#91835 V2 Red	#91840 V2 Blue
<b>Limiters:</b>	1	0
<b>Stroke:</b>	21.0 mm	28.0 mm
<b>Eyelet Length:</b>	Long	Long
<b>Cup Offset:</b>	5 mm	0 mm
<b>Notes:</b>	#91494 Machined Shock Spacers V2	



## Track Info:

**Size:** Small  Medium  Large  Extra Large

**Surface:** Dirt  Carpet  Astroturf  Multi Surface

**Traction:** Low  Medium  High  Very High

**Moisture:** Dry  Damp  Wet

**Condition:** Indoor  Outdoor  Dusty  Hard Packed   
 Bumpy  Grooved  Smooth  Loamy

**Temperature:** Ambient: 65F Track: 65F

**Notes:** CRC Black Carpet

## Tires:

**Front Tires:** JConcepts Swaggers

**Front Compound:** Double Pink

**Front Insert:** None

**Rear Tires:** JConcepts Pin Downs

**Rear Compound:** Double Pink

**Rear Insert:** JConcepts Open Cell

**Wheel (F/R):** Team Associated

**Notes:**

## Body, Wing, Weight:

**Body:** JConcepts Finnisher Lightweight

**Wing:** JC Lower Front Wing / #91741 B6 Wing

**Wing Angle:** 0°  3°  6°

**Servo Weights:**  
 None  Aluminum  Steel  Other

**Electronic Weights:**  
 None  Aluminum  Steel  Other

**Total Vehicle Weight:**

## Vehicle Comments:

**Notes:** #91755 Ti Screw Kit (only used above chassis); #91576 & 91577 Fox Shock Bodies; #27304 Reedy Battery Weight (36 g);