

Front Suspension:

Reset Forms

Ride Height:	15.5 mm
Camber:	-2
Toe:	+1
Arm Type:	#91674 Gullwing, Hard
Tower Type:	#91768 Gullwing
Caster Block Insert:	5°
Steering Block:	4
Bulkhead Type:	#91659 Brass
Kick-Up Angle:	25°
Wheel Hex:	#91682 Aluminum
Notes:	#1366 FT Aluminum Servo Horn, 25T #91668 FT Aluminum Steering Bellcranks #91669 FT Aluminum Steering Rack

Anti Roll Bar:	White (0.8mm) <input type="checkbox"/>
	Gray (0.9mm) <input type="checkbox"/>
	Blue (1.0mm) <input type="checkbox"/>
	Other: <input type="checkbox"/>

Bump Steer Spacing: 1mm

Axle Height:	+3 <input type="checkbox"/>
	+2 <input type="checkbox"/>
	+1 <input checked="" type="checkbox"/>
	0 <input type="checkbox"/>

Ball Stud Spacing: 2 mm

Steering Plate: #91680 +1

Steering Stop Spacing: 0

Ball Stud Spacing: 1 mm

Caster Block Spacing: 1 mm

Rear Suspension:

Ride Height:	16 mm
Camber:	-2°
Tower Type:	#91769 Standard
Wheel Hex:	#91610 FT 7.0 mm
CVA Bone Length:	#91439 65 mm
CVA Pin Location:	Towards Diff
Hub Spacing:	Forward <input type="checkbox"/> Middle <input type="checkbox"/> Back <input checked="" type="checkbox"/>
Shock Mounting Position:	Front of Arm <input checked="" type="checkbox"/> Rear of Arm <input type="checkbox"/>
Notes:	#91605 CVA Axle Shims #92049 B64 Rear Arm, Hard (+4 mm On Lower Shock Mount)

Anti Roll Bar:	White (1.2mm) <input type="checkbox"/>
	Gray (1.3mm) <input type="checkbox"/>
	Blue (1.4mm) <input type="checkbox"/>
	Other: <input type="checkbox"/>

Rear Hub Link Setting:	Plastic Hub <input checked="" type="checkbox"/> Aluminum Hub <input type="checkbox"/> Ball Stud Spacing: 2 mm
Up	
Down	

C Mount Inserts:	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
	Aluminum <input checked="" type="checkbox"/> Brass <input type="checkbox"/>

D Mount Inserts:	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
	Aluminum <input checked="" type="checkbox"/> Brass <input type="checkbox"/>

Hub Insert:	+3 <input checked="" type="checkbox"/> +2 <input type="checkbox"/> +1 <input type="checkbox"/> 0 <input type="checkbox"/>
--------------------	---

Ball Stud Spacing: 3 mm

Electronics:

Radio:	Sanwa M12S	Servo:	#27109 Reedy RT1408
EPA: Throttle:	100 %	Brake:	95 %
ESC:	#27004 Reedy Blackbox 510R		
ESC Settings:	See Joona Haatanen Setup Sheet		
Motor:	Reedy Sonic M3		
Wind:	6.5	Timing:	30°
Pinion:	#1339 FT 21T	Spur:	81
Battery:	#27325 Reedy Zapper SG 4000 mAh + #27304 Reedy LiPo Battery Weight 56g		
Battery Position:	4F		

Drivetrain:

Transmission:	Laydown: <input checked="" type="checkbox"/>	
3 Gear: <input checked="" type="checkbox"/>	Layback: <input type="checkbox"/>	
4 Gear: <input type="checkbox"/>	Stand Up: <input type="checkbox"/>	
Differential:	Ball Diff: <input type="checkbox"/>	
Height: 3	Gear Diff: <input checked="" type="checkbox"/>	
Notes:	#91784 Aluminum Cross Pins; 2-Gear; 7,000	

Slipper Clutch:

Type:	#91803 & 91804 Team Associated Slipper
# of Pads:	2 x #91197 LCF

Shocks:

	Front	Rear
Piston:	2 x 1.6 TMG	2 x 1.7 TMG
Fluid:	40 wt	32.5 wt
Spring:	#91835 V2 Red	#91840 V2 Blue
Limiters:	1	0
Stroke:	21 mm	29.5 mm
Eyelet Length:	Short	Short
Cup Offset:	5 mm	0 mm
Notes:	#91494 Machined Shock Spacers	



Track Info:

Size:	Small <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Large <input checked="" type="checkbox"/> Extra Large <input type="checkbox"/>
Surface:	Dirt <input type="checkbox"/> Carpet <input checked="" type="checkbox"/> AstroTurf <input type="checkbox"/> Multi Surface <input type="checkbox"/>
Traction:	Low <input type="checkbox"/> Medium <input type="checkbox"/> High <input checked="" type="checkbox"/> Very High <input type="checkbox"/>
Moisture:	Dry <input checked="" type="checkbox"/> Damp <input type="checkbox"/> Wet <input type="checkbox"/>
Condition:	Indoor <input checked="" type="checkbox"/> Outdoor <input type="checkbox"/> Dusty <input type="checkbox"/> Hard Packed <input type="checkbox"/> Bumpy <input type="checkbox"/> Grooved <input type="checkbox"/> Smooth <input type="checkbox"/> Loamy <input type="checkbox"/>
Temperature:	Ambient: 21° Track: 20°
Notes:	

Tires:

Front Tires:	Schumacher Cut Stagger
Front Compound:	Yellow
Front Insert:	N/A
Rear Tires:	Schumacher Cactus
Rear Compound:	Yellow
Rear Insert:	Standard
Wheel (F/R):	Pre-Glued
Notes:	EOS Spec Tires, Wheels & Foam

Body, Wing, Weight:

Body:	JConcepts F2
Wing:	JC Lower Front Wing / JC Aero Long Cord (Cut To Lower Line)
Wing Angle:	0° <input type="checkbox"/> 3° <input type="checkbox"/> 6° <input checked="" type="checkbox"/>
Servo Weights:	None <input type="checkbox"/> Aluminum <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Other <input type="checkbox"/>
Electronic Weights:	None <input type="checkbox"/> Aluminum <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Other <input type="checkbox"/>
Total Vehicle Weight:	N/A

Vehicle Comments:

Notes: #91652 Side Rails, Standard; #91696 & 91620 Chrome Shock Shafts; #91576 & 91578 Fox Shock Bodies;