


## Front Suspension:

## Reset Forms

<b>Ride Height:</b>	14 mm (Body On)
<b>Camber:</b>	-1*
<b>Toe:</b>	Tierod Gap = 27.2 mm
<b>Anti-Roll Bar:</b>	1.0 mm
<b>Arm Type:</b>	#91872 Gullwing, Carbon
<b>Tower Type:</b>	#91880 B6.3, Gullwing
<b>Wheel Hex:</b>	#91683 FT 5mm, Titanium
<b>Steering Block:</b>	4 mm
<b>Caster Block Insert:</b>	2.5*
<b>Bulkhead Type:</b>	#91987 FT 0* Bulkhead, Aluminum
<b>Kick-Up Angle:</b>	25* Total Caster @ The Wheel
<b>Notes:</b>	#91983 FT Steering Bellcranks

<b>Bump Steer Spacing:</b>	1 mm
<b>Steering Plate:</b>	#91902 FT HT, +1
<b>Steering Stop Spacing:</b>	0 mm
<b>Caster Block Spacing:</b>	1 mm
<b>Axle Height:</b>	+3 <input type="checkbox"/> +2 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +0 <input type="checkbox"/>

<b>Ball Stud Spacing:</b>	1
<b>Steering Bellcrank Position:</b>	Up <input checked="" type="checkbox"/> Down <input type="checkbox"/>
<b>Ball Stud Spacing:</b>	1 mm




## Rear Suspension:

<b>Ride Height:</b>	14 mm (Body On)
<b>Camber:</b>	-1*
<b>Anti-Roll Bar:</b>	1.3 mm
<b>Arm Type:</b>	#91874 FT Carbon, 75 mm
<b>Tower Type:</b>	#91881 B6.3
<b>Arm Spacing:</b>	Arms Back
<b>Wheel Hex:</b>	#91609 FT Clamping Hex, 5.0 mm
<b>Shock Mounting Position:</b>	Front of Arm <input checked="" type="checkbox"/> Rear of Arm <input type="checkbox"/>
<b>Hub Spacing:</b>	Fwd <input type="checkbox"/> Mid <input type="checkbox"/> Back <input checked="" type="checkbox"/>
<b>CVA Bone Length:</b>	#91860 69 mm
<b>CVA Axle Type:</b>	#91859 +2 mm
<b>Notes:</b>	#91688 RC10B6 Arm Mount D, Narrow #91889 FT Rear Ballstud Mount, +2 mm Black

<b>C Mount:</b>	Aluminum <input checked="" type="checkbox"/> Brass <input type="checkbox"/>
<b>D Mount:</b>	Aluminum <input checked="" type="checkbox"/> Brass <input type="checkbox"/>

<b>Axle Height:</b>	▼0 3▲ +3 ▼1 2▲ +2 ▲1 2▼ +1 ▲0 3▼ +0
---------------------	--

<b>Camber Link Spacing:</b>	2 mm
<b>Ball Stud Spacing:</b>	2 mm
<b>Ball Stud Spacing:</b>	1 mm with #91889



## Electronics:

<b>Radio:</b>	Futaba T10PX	<b>Servo:</b>	Savox 1267
<b>EPA: Throttle:</b>	100 %	<b>Brake:</b>	86 %
<b>ESC:</b>	Hobbywing XR10 Pro		
<b>ESC Settings:</b>	See Setup Sheet		
<b>Motor / Wind:</b>	Hobbywing 5.5T + Alum Motor Fan	<b>Timing:</b>	35
<b>Pinion:</b>	#1340 FT 22T	<b>Spur:</b>	#92296 Octalock, 81T
<b>Battery:</b>	ProTek 4600 mAh LP		
<b>Battery Position:</b>	Back 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input checked="" type="checkbox"/> Forward		
<b>Battery Weight:</b>	None		

## Drivetrain:

<b>Transmission:</b>	Laydown: <input checked="" type="checkbox"/> Layback: <input type="checkbox"/>
<b>Differential:</b>	Ball Diff: <input type="checkbox"/>
<b>Height:</b>	2 Gear Diff: <input checked="" type="checkbox"/>
<b>Gear Diff Mass:</b>	N/A
<b>Notes:</b>	#5456 FT 20k w/ 2 Planet Gears

## Slipper Clutch:

<b>Type:</b>	#91803 & #91804 Standard Slipper Hubs
<b># of Pads:</b>	2 x #92285 FT LCF Octalock, 11mm
<b>Setting:</b>	N/A

## Shocks:

	Front	Rear
<b>Piston:</b>	#91936 FT 2 x 1.6 + 1.1 Flat, Drilled	#91938 FT 2 x 1.8 Flat
<b>Thickness:</b>	2.0 mm	2.0 mm
<b>Fluid:</b>	#5432 FT 32.5 wt	#5432 FT 32.5 wt
<b>Spring:</b>	#91945 Orange	#91950 Blue
<b>Limiters:</b>	Int: 1 mm Ext: .3 mm	Int: 0 mm Ext: .4 mm
<b>Stroke:</b>	22.0 mm	29.0 mm
<b>Eyelet Length:</b>	+0 mm	+0 mm
<b>Cup Offset:</b>	5 mm	0 mm
<b>Notes:</b>	#91618 & #91620 FT Chrome Shock Shafts; #91494 FT Machined Shock Internals	



## Track Info:

<b>Size:</b>	Small <input type="checkbox"/> Medium <input type="checkbox"/> Large <input checked="" type="checkbox"/> Extra Large <input type="checkbox"/>
<b>Surface:</b>	Dirt <input type="checkbox"/> Carpet <input type="checkbox"/> AstroTurf <input checked="" type="checkbox"/> Multi Surface <input type="checkbox"/>
<b>Traction:</b>	Low <input type="checkbox"/> Medium <input type="checkbox"/> High <input type="checkbox"/> Very High <input checked="" type="checkbox"/>
<b>Moisture:</b>	Dry <input type="checkbox"/> Damp <input checked="" type="checkbox"/> Wet <input type="checkbox"/>
<b>Condition:</b>	Indoor <input checked="" type="checkbox"/> Outdoor <input type="checkbox"/> Dusty <input type="checkbox"/> Hard Packed <input type="checkbox"/> Bumpy <input type="checkbox"/> Grooved <input type="checkbox"/> Smooth <input checked="" type="checkbox"/> Loamy <input type="checkbox"/>
<b>Temperature:</b>	Ambient: 70F Track: 70F
<b>Notes:</b>	Grip Came Up Throughout Event

## Tires:

<b>Front Tires:</b>	JConcepts Fuzz Bites
<b>Front Compound:</b>	Pink
<b>Front Insert:</b>	None
<b>Rear Tires:</b>	JConcepts Nessi
<b>Rear Compound:</b>	Pink
<b>Rear Insert:</b>	JConcepts Open Cell
<b>Wheel (F/R):</b>	JConcepts Mono
<b>Notes:</b>	

## Body, Weight:

<b>Body:</b>	#91982 Team Associated B6.4 Kit
<b>Front Wing:</b>	None
<b>Rear Wing:</b>	JConcepts 7" Carpet
<b>Wing Angle:</b>	6*
<b>Chassis Length:</b>	#91968 Team Associated B6.4, +3mm
<b>Servo Weights:</b>	#91747 FT Steel, 24g
<b>Electronic Weights:</b>	#91977 FT Steel, 33g
<b>Total Vehicle Weight:</b>	1500 g

Vehicle Comments: #91797 FT Titanium Top Shaft; Rear Shock Spaced 2mm Forward On A-Arm;