

Front Suspension:

Reset Forms

Ride Height:	22.5 mm
Camber:	-1.5°
Toe:	0°
Arm Type:	#91672 Flat, Hard
Tower Type:	Flat
Caster Block Insert:	5°
Bulkhead Type:	# 91658 Aluminum
Kick-Up Angle:	25°
Wheel Hex:	#91683 Titanium
Notes:	#91667 Plastic Steering Assembly #1366 FT Aluminum Servo Horn, 25T 1 mm Shim Between Bulkhead & Chassis

Anti Roll Bar:

None

White (0.8mm)

Gray (0.9mm)

Blue (1.0mm)

Other:

Bump Steer Spacing: 1.5 mm

Axle Height:

+3

+2

+1

0

Ball Stud Spacing: 1 mm

Steering Plate: #91680 +1

Steering Stop Spacing: 0

Ball Stud Spacing: 1.5 mm

Caster Block Spacing: 1 mm

Rear Suspension:

Ride Height:	22.5 mm
Camber:	-1.5°
Wheel Hex:	#71034 6.0 mm
Hub Spacing:	Forward <input type="checkbox"/> Middle <input checked="" type="checkbox"/> Back <input type="checkbox"/>
Shock Mounting Position:	Front of Arm <input type="checkbox"/> Rear of Arm <input checked="" type="checkbox"/>
Notes:	#91687 Brass "C" Arm Mount, 12G #91688 Aluminum "D" Arm Mount #91549 Aluminum Hubs (Back Row Inside + 4 mm) #9166 Rear Shock Tower (Long) + 31mm Shock Bodies

Anti Roll Bar:

None

White (1.2mm)

Gray (1.3mm)

Blue (1.4mm)

Other:

Rear Hub Link Setting:

Up



Down



C Mount Inserts: 1° 0.5°

D Mount Inserts: 1° 0.5°

Hub Insert:

+3 +2 +1 0

Ball Stud Spacing: 0 mm

Electronics:

Radio:	Sanwa M12S	Servo:	Reedy 1408 LP
EPA: Throttle:	100 %	Brake:	75 %
ESC:	Reedy Blackbox 510R		
ESC Settings:	N/A		
Motor:	Reedy M3		
Wind:	8.0	Timing:	20°
Pinion:	23	Spur:	78
Battery:	#319 Reedy 3900 mAh LP (#27304 39g Under Battery Weight)		
Battery Position:	4F		

Drivetrain:

Transmission:

3 Gear: **4 Gear:**

Stand Up: **Lay Down:**

Differential:

Ball Diff: **Gear Diff:**

Notes:

Slipper Clutch:

Type: Associated Vented

of Pads: 2

Shocks:

	Front	Rear
Piston:	2 x 1.6 Flat Machined	2 x 1.7 Flat Machined
Fluid:	30 wt	30 wt
Spring:	White	X-Gear White
Limiters:	1	0
Stroke:	21.25 mm	28.25 mm
Eyelet Length:	Long	Long
Cup Offset:	5 mm	5 mm
Notes:	#91494 Machined Internals, #91493 X-Rings	



Track Info:

Size: Small Medium Large Extra Large

Surface: Dirt Carpet Astroturf Multi Surface

Traction: Low Medium High Very High

Moisture: Dry Damp Wet

Condition: Indoor Outdoor Dusty Hard Packed
Bumpy Grooved Smooth Loamy

Temperature: Ambient: 85F Track: 85F

Notes: Temperature Range From 70F to 90F

Tires:

Front Tires: Pro-Line Transistors

Front Compound: X2

Front Insert: Pro-line 4wd Closed Cell

Rear Tires: Pro-Line Electrons

Rear Compound: X2

Rear Insert: Pro-Line Closed Cell

Wheel (F/R): Team Associated

Notes:

Body, Wing, Weight:

Body: Team Associated Kit Lightweight

Wing: JConcepts Aero / No Front Wing

Wing Angle: 0° 3° 6°

Servo Weights: None

None Aluminum Steel Other

Electronic Weights:

None Aluminum Steel Other

Total Vehicle Weight: 1516g

Vehicle Comments:

Notes: #91755 Ti Screw Kit (only used above chassis); #91653 Hard Side Rails