


Front Suspension:

Ride Height:	18 mm
Camber:	-1°
Toe:	Tierod Gap = 20.3 mm
Anti-Roll Bar:	1.2 mm
Arm Type:	#92128 Suspension Arm, Standard
Wheelbase Shim:	Behind Arm
Wheel Hex:	#91609 FT Clamping Wheel Hex, 5mm
Caster Block:	8° <input type="checkbox"/> 9° <input checked="" type="checkbox"/> 10° <input type="checkbox"/>
Chassis Brace:	Plastic <input checked="" type="checkbox"/> Carbon <input type="checkbox"/>
Top Plate Brace:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Front Axles:	CVA <input checked="" type="checkbox"/> DCV <input type="checkbox"/>
Notes:	



Front Chassis Brace Screws:




Arm Mount A: 1° 0.5°



Arm Mount B: 1° 0.5°



Ball Stud Spacing: 2 mm



RESET

Axle Height: +3 +2 +1 0

Ball Stud Spacing: 0 mm

Steering Plate: Kit

Ball Stud Spacing: 2 mm

BA

Rear Suspension:

Ride Height:	18 mm
Camber:	-1°
Anti-Roll Bar:	1.3 mm
Arm Type:	#92130 Suspension Arm, Standard
Wheelbase Shim:	1 mm Front / 1 mm Rear
Wheel Hex:	#91609 FT Clamping Wheel Hex, 5mm
CVA Bone Length:	#92205 62 mm
Chassis Brace:	Plastic <input checked="" type="checkbox"/> Carbon <input type="checkbox"/>
Hub Spacing:	Fwd <input type="checkbox"/> Mid <input checked="" type="checkbox"/> Back <input type="checkbox"/>
Notes:	


Rear Chassis Brace Screws:



Arm Mount C: 1° 0.5°



Arm Mount D: 1° 0.5°



Axle Height:

▼0	3▲	+3
▼1	2▲	+2
▲1	2▼	+1
▲0	3▼	+0

Camber Link Spacing: 4 mm

Ball Stud Spacing: 2 mm

CBA

Electronics:


Radio:	Sanwa M12S	Servo:	#27114 Reedy RT2406
EPA: Throttle:	100 %	Brake:	95 %
ESC:	#27004 Reedy Blackbox 510R		
ESC Settings:	See Baseline Setup Sheet		
Motor:	#266 Reedy Sonic M3		
Wind:	5.5T	Timing:	10°
Pinion:	18	Spur:	78
Battery:	#27338 Reedy Zappers SG2 4100 mAh 80C 7.6v LP Shorty		
Battery Position:	#2 (One Back From All The Way Forward)		

Differential:

Front Fluid:	7k	Mass:	46.50g
Gears:	Plastic <input type="checkbox"/> Metal <input checked="" type="checkbox"/>		
Center Fluid:	200k	Mass:	45.50g
Gears:	Plastic <input type="checkbox"/> Metal <input type="checkbox"/>		
Rear Fluid:	7k	Mass:	46.50g
Gears:	Plastic <input type="checkbox"/> Metal <input checked="" type="checkbox"/>		
Slipper Clutch:			
Setting:	N/A		
Pads:	N/A		

Shocks:

	Front	Rear
Piston:	#91626 2x1.6 Flat Machined	#91627 2x1.7 Flat Machined
Fluid:	#5433 FT 37.7 wt	#5422 FT 30 wt
Spring:	#91834 Yellow V2	#91840 Blue V2
Limiters:	0 mm In / 2 mm Out	2 mm In / 1 mm Out
Stroke:	24.0 mm	28.0 mm
Eyelet Length:	Long	Long
Cup Offset:	9 mm	5 mm
Notes:	#91494 FT Machined Shock Spacers	



Track Info:

Size:	Small <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Large <input type="checkbox"/> Extra Large <input type="checkbox"/>
Surface:	Dirt <input type="checkbox"/> Carpet <input checked="" type="checkbox"/> Astroturf <input type="checkbox"/> Multi Surface <input type="checkbox"/>
Traction:	Low <input type="checkbox"/> Medium <input type="checkbox"/> High <input type="checkbox"/> Very High <input checked="" type="checkbox"/>
Moisture:	Dry <input type="checkbox"/> Damp <input checked="" type="checkbox"/> Wet <input type="checkbox"/>
Condition:	Indoor <input checked="" type="checkbox"/> Outdoor <input type="checkbox"/> Dusty <input type="checkbox"/> Hard Packed <input checked="" type="checkbox"/> Bumpy <input type="checkbox"/> Grooved <input type="checkbox"/> Smooth <input type="checkbox"/> Loamy <input type="checkbox"/>
Temperature:	Ambient: 60F Track: 6F
Notes:	

Tires:

Front Tires:	Pro-Line Electron
Front Compound:	MC Qualifying / S3 Mains
Front Insert:	Pro-Line Closed Cell
Rear Tires:	Pro-Line Positron
Rear Compound:	MC Qualifying / S3 Mains
Rear Insert:	Pro-Line Closed Cell
Wheel (F/R):	#92095 & #9695 Team Associated 12 mm
Notes:	

Body, Wing, Weight:

Body:	#92251 Team Associated B74 Lightweight (Kit)
Wing:	#91741 Team Associated B6 Wing (Kit)
Front Wing:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Wing Angle:	0° <input type="checkbox"/> 6° <input checked="" type="checkbox"/>
Weights:	
Total Vehicle Weight:	N/A

Vehicle Comments:

Notes: #91569 & #91578 FT Fox Shock Bodies; #91643 & #91645 FT Chrome Shock Shafts; #1368 FT Clamping Servo Horn, 25T;