



Part #	Description	Qty	Price	Part #	Description	Qty	Price
8801	"RC10DS" LOGO DECAL SHEET. Several sizes included. Fluorescent red and yellow with black outlines.	1	2.00	7208	FRONT BULKHEAD ALUMINUM SUPPORT	1	1.50
				8826	DS FRONT ANTI-ROLL BAR KIT	1	8.00
				8828	DS ROLL BAR CUP	2pr	2.00
				8830	DS ROLL BAR PIVOT, aluminum, with set screw	2	4.00
				8832	DS FRONT SHOCK STRUT, fiberglass	1	7.00
				8833	DS FRONT SHOCK STRUT, graphite	1	12.00
				8834	DS FRONT ARM/SHOCK MOUNT	pr	1.50
				9156	SERVO SAVER HUB, threaded	1	2.50
				7531	SERVO SAVER, plastic parts	set	2.50
				9157	SERVO SAVER SPRING & ADJUSTING NUT	1	2.00
				9180	SERVO HORNS, molded (1 ea. fits Airtronics, Futaba, or JRpropo)	1	2.50
				6265	DRAG LINK. One-piece replacement of the standard ball cups-and-turnbuckle linkage.	1	2.00
				8833	DS FRONT SHOCK STRUT, graphite. Optional	1	12.00
				8824	DS FRONT BULKHEAD	1	4.00
				8825	DS FRONT INNER HINGE PIN	pr	3.00
				6280	8-32 X 1/2 ALUM. FLAT HEAD screw	16	2.00
				6285	4-40 X 1/4" SOCKET HEAD Cap Screw	12	2.00
				6292	4-40 X 3/8" FLAT HEAD SOCKET screw	6	2.00
				6295	4-40 NUT, 6 each plain nut, nylon and steel locknut	18	2.00
				6299	E-CLIP, for 1/8 shaft	12	1.00
				6918	BUTTON HEAD Socket screw, 4-40 X 1/2"	6	2.00
				6919	4-40 X 5/16 BUTTON HEAD Socket Screw	6	2.00
				6924	4-40 X 3/8" SOCKET HEAD Cap Screw	6	2.00
				6925	SOCKET HEAD Cap screw, 4-40 X 1/2"	6	2.00
				6920	BUTTON HEAD Socket screw, 4-40 X 3/16"	6	2.00
				6931	FLAT HEAD Machine screw, 8-32 X 1/4"	6	1.00
				6951	4-40 X 1/8" SET SCREW, with wrench	6	2.50


FRONT SUSPENSION & LINKAGE



6210	FRONT BLOCK CARRIER, 30° caster	pr	3.00
6215	FRONT BLOCK CARRIER, 25° caster	pr	4.50
6220	ALUMINUM FRONT INLINE AXLES. 5-40 axle thread. Uses #6222 black nylon locknut	pr	6.00
6221	INLINE STEERING BLOCK, for alum. axles	pr	2.00
6222	SELF-THREADING NYLON LOCKNUT, for #6220 axles	8	2.00
6223	KINGPIN, with clips	pr	2.50
8810	DS FRONT A-ARM, molded composite	pr	5.00
8811	DS FRONT A-ARMS, graphite composite. Optional	pr	8.00
8812	DS FRONT/REAR UPPER TURNBUCKLE, 0.75"	pr	3.00
6260	TURNBUCKLE, 1"	2	3.00
6262	TURNBUCKLE, 1.65"	2	3.00
6270	SHORT BALL END, steel (4-40 threaded ball studs), with plastic end caps	2	2.50
6271	SHORT BALL END, steel (4-40 threaded ball studs), with plastic end caps (6-14)	12	10.00
6273	LONG BALL END, steel (4-40 long threaded ball studs), with plastic end caps. 1/10" longer thread than #6270	2	2.50
6272	BALL CUP DUST COVER	28	2.00
6274	BALL CUP, spares for 6270, 6271, nylon	14	5.00


CHASSIS PARTS






6300	CHASSIS TUB, gold anodized	1	35.00
6301	CHASSIS TUB, black anodized	1	37.00
6302	CHASSIS TUB, hard anodized black and milled, new stronger aluminum material	1	39.00
6312	CLEAR CHASSIS PROTECTIVE SHEET to protect the chassis finish, 6 1/2" X 18"	1	6.50
6323	REAR BULKHEAD, new updated design	1	4.00
6325	TRANSMISSION BRACE	1	2.00
6593	GRAPHITE TRANSMISSION BRACE for Assoc. tranny only	1	5.00
6332	HOOD PIN	6	.75
6334	BATTERY CUP, w/straps, hardware (6-7)	2	6.00
6335	BATTERY HOLD-DOWN STRAP	pr	2.50
6336	SERVO MOUNT, w/ hardware (bag 6-6)	4	2.00
6338	ANTENNA KIT, with hardware	1	2.00
6339	FIBERGLASS BATTERY HOLD DOWN STRAP for 6-cell battery pack mounted front to rear in chassis	1	7.00
8816	DS FRONT BUMPER	1	4.00
8818	DS FRONT BODY POST	pr	3.50
8820	DS FRONT KICKUP, aluminum, black anodized	1	8.00
8822	DS FRONT NOSE BRACE TUBE	pr	4.00
7306	NOSE PLATE Screw Set	1	2.00
8874	DS REAR BODY MOUNT	pr	3.50
6929	SOCKET HEAD Cap Screw, 4-40 X 3/8" with hole	4	2.00
7320	BODY MOUNT LARGE NYLON WASHER	4	.75
7633	4-40 X 5/8" BUTTON HEAD Socket Screw	6	2.00

REAR SUSPENSION



8860	DS REAR A-ARM, molded composite	pr	6.00
8861	DS REAR A-ARM, graphite. Optional	pr	9.00
8862	DS REAR INNER HINGE PIN	pr	3.00
8864	DS REAR OUTER HINGE PIN	pr	3.00
8867	DS DOGBONE	ea	5.00
8868	DS REAR STUB AXLE	ea	5.00
8869	DS UNIVERSALS	pr	35.00
8870	DS REAR SHOCK STRUT, molded composite	1	5.00
8871	DS REAR SHOCK STRUT, graphite	1	7.50
7377	REAR AXLE BEARING SPACER, aluminum. For 3/16" rear axles	2	1.50
8828	DS ROLL BAR CUP	2pr	2.00
8830	DS ROLL BAR PIVOT, aluminum, with set screw	2	4.00
8872	DS REAR ANTI-ROLL BAR KIT	1	7.50
6360	REAR SUSPENSION MOUNT, 1.5° toe-in per side	pr	2.00
7364	REAR SUSPENSION MOUNT, 0° toe-in	pr	2.00
7363	REAR SUSPENSION MOUNT, 3° toe-in	pr	2.00
7365	REAR HUB CARRIER, 0° toe-in per side (uses 1/4 X 3/8 unflanged bearing #7359)	pr	3.50
7358	REAR HUB CARRIER, 3° toe-in per side (uses 1/4 X 3/8 unflanged bearing #7359)	pr	3.50
6385	4-40 X 1 1/4 threaded rod (upper link)	2	1.00
7368	UNIVERSAL SHIMS	14	1.50
7369	AXLE SPRING PINS	4	1.00
6599	BUSHING, 3/16 X 3/8	4	2.00
6906	3/16" X 3/8" BALL BEARING, unflanged	pr	13.00
8182	SPECIAL NUT, 8-32	6	2.00

TRANSMISSION




6560	2.25:1 TRANSMISSION KIT, with bearings and Associated Torque Control	1	120.00
6563	COMPLETE TRANNY BALL BEARING SET	9	52.00
6565	TRANSMISSION CASE, left & right sides, for 2.25:1 transmission	set	6.00
6566	FELT GASKET	1	1.50
6567	COMPLETE SCREW SET	10	2.50
6568	SPUR GEAR SCREW	4	1.50
6569	MOTOR PLATE SPACER & END CAP	set	1.50
6570	IDLER SHAFT AND GEAR	set	3.50
6571	DRIVE GEAR/SHAFT Assembly, w/roll pin	set	9.00
6572	DRIVE SHAFT ROLL PIN	6	1.00
6573	DIFF THRUST WASHER	2	3.00
6574	PRECISION THRUST BALL, 5/64" (Replaces #6576)	6	2.00
6575	DIFF THRUST BOLT, THRUST BEARING COVER, dogbone spacers & Locking T-nut	1	2.00
6577	DIFF OUTDRIVE HUB, right, 2.25:1	1	7.50
6578	DIFF OUTDRIVE HUB, left, 2.25:1	1	7.50
6579	DIFF DRIVE RING, 2.25:1	2	1.50
6580	DIFF GEAR, 2.25:1	1	2.50
6581	CARBIDE DIFF BALL, large, 3/32"	12	12.00
6582	DIFF THRUST SPRING	1	1.50
6583	TORQUE CONTROL HUB, inner	1	7.50
6584	TORQUE CONTROL HUB, outer	1	7.50
6585	CLUTCH DISK	1	3.00

6594	THRUST BEARING WASHER, replaces #6586 thrust bearing	set	2.00
6587	TORQUE CONTROL SPRING & NUT	1	1.50
6588	BLACK GREASE	1	2.50
6589	DIFF BEARING, 5/32 X 5/16 unflanged	2	13.00
6590	MOUNTING HOLE DRILL GUIDE, 2.25:1	1	2.00
6591	TRANNY DIFF LUBE	1	2.50
6592	ALLEN WRENCH SET, 1/16, 5/64, 3/32	1	2.50
6593	GRAPHITE TRANSMISSION BRACE	1	5.00
6608	GEAR DUST COVER	1	1.00
6901	BALL BEARING, 3/16 X 5/16 unflanged	pr	13.00
6903	BALL BEARING, 3/8 X 5/8	2	20.00
6906	BALL BEARING, 3/16 X 3/8	2	13.00
6595	COMPLETE BUSHING SET FOR ASSOC. TRANSMISSION	9	5.00
6596	BUSHING, 3/16 X 5/16	2	1.00
6597	BUSHING, 5/32 X 5/16	2	1.00
6598	BUSHING, 3/8 X 5/8	2	1.50
6599	BUSHING, 3/16 X 3/8	4	2.00

TRANSMISSION, ORIGINAL RC10

6600	TRANSMISSION KIT, with bushings	1	49.00
6605	HOUSING, left and right	pr	5.00
6606	BEARING ADAPTER	2	1.50
6607	MOTOR MOUNTING PLATE, gold anodized. Also fits Assoc. transmission.	1	6.00
6604	MOTOR MOUNTING PLATE, black anodized. Also fits Assoc. transmission.	1	6.00
6608	GEAR DUST COVER	1	1.00
6609	DRIVE GEAR PIVOT	1	4.00
6610	IDLE GEAR PIVOT	1	3.00
6611	SPINE (CENTER) PLATE	1	2.00
6612	AXLE DRIVE GEAR	1	6.00
6614	IDLE GEAR, black, precision, reinforced	pr	5.00
6617	DIFF TUBE, w/inner hub & PTFE bushings	1	7.00
6618	DIFF SHAFT, with left dif pinion	1	9.00
6619	DIFF BALL, 1/8" Carbide	8	8.00
6620	DIFF PINION, left (small hole)	1	4.00
6621	DIFF PINION, right, (large hole)	1	4.00
6623	DIFF PTFE BUSHING	2	1.50
6624	DIFF OUTER HUB	1	2.50
6625	DIFF DRIVE RING	2	1.50
6626	DIFF BALL	16	1.50
6627	DIFF THRUST BEARING SET	1	2.50
6587	TORQUE CONTROL SPRING & NUT	1	1.50
6629	DIFF LOCKNUT, 5-40	6	1.00
6630	TRANSMISSION OILITE BUSHING SET	1	3.00
6633	FELT SEAL	2	1.00
6634	TRANSMISSION E-CLIP and screw set	1	3.00
6635	E-CLIPS AND WASHER for #6610	3	1.00
6636	SILICON DIFF GREASE, 1/4 oz tub (Not for Assoc. tranny)	1	2.50

SHOCKS



GOLD. Associated's standard shocks (#8840 & 8842) are precision machined to very close tolerances.

8840	DS FRONT SHOCK KIT, gold	1	25.00
8842	DS REAR SHOCK KIT, gold	1	25.00
6427	BODY, front, 0.56 STANDARD	1	6.75
6428	END CAP, plastic	1	2.25

GRAY. Associated's racing shocks (#8834-8841) are hard anodized and PTFE coated precision machined shock bodies for long wear and superior performance.

8839	DS FRONT SHOCK KIT, hard anodized	1	30.00
8841	DS REAR SHOCK KIT, hard anodized	1	30.00
6438	BODY, short front, .56 RACING	1	7.75
6439	END CAP FOR GRAY SHOCKS, aluminum	1	3.00

PARTS FOR ALL SHOCKS

6429	SHOCK ASSEMBLY TOOL	1	1.00
6440	REBUILD KIT for Standard and Racing shocks, for 4 shocks	set	4.00
8844	DS SHOCK SHAFT, .35 stroke	ea	3.00
8845	DS UNOBTAINIUM SHOCK SHAFT, .35 stroke	ea	6.00
8846	DS SHOCK PRE-LOAD SPACERS, four sizes	set	3.00
7217	SHOCK ROD END, nylon w/plastic pivot ball	2	3.00
6464	PISTON, all 0.4 bore shocks	4	3.00
6465	PTFE SHOCK PISTON, 4 each of #1, #2 & #3. To adjust dampening.	12	3.00
6466	SHOCK DOWNSTOP	6	1.50
5407	RED O-RING, replacements for shock rebuild kits #6440 and #6467	8	2.00
6469	O-RING, shock end-cap to body seals	4	1.50
6473	SHOCK BUSHING	4	1.00
6474	SPRING CLAMP AND CUP, 4 sets	4	3.00

PRECISION RACING SPRINGS



8231,
8232,
6494

8231	Silver, 1.4" (Also fits 10L)	1	1.25
8232	Black, 1.4"	2	2.50
6494	Green, 1.4"	2	2.50

SHOCK OILS


5412	SHOCK OIL, 50 wt, 1 oz bottle	1	1.25
5413	SHOCK OIL, 40 wt, 1 oz bottle	1	1.25
5414	SHOCK OIL, 30 wt, 1 oz bottle	1	1.25
5415	SHOCK OIL, 20 wt, 1 oz bottle	1	1.25
5416	SHOCK OIL, 10 wt, 1 oz bottle	1	1.25
5420	SILICONE SHOCK OIL, 10 wt, 2 oz bottle	1	3.50
5427	SILICONE SHOCK OIL, 15 wt, 2 oz bottle	1	3.50
5421	SILICONE SHOCK OIL, 20 wt, 2 oz bottle	1	3.50
5428	SILICONE SHOCK OIL, 25 wt, 2 oz bottle	1	3.50
5422	SILICONE SHOCK OIL, 30 wt, 2 oz bottle	1	3.50
5429	SILICONE SHOCK OIL, 35 wt, 2 oz bottle	1	3.50
5423	SILICONE SHOCK OIL, 40 wt, 2 oz bottle	1	3.50
5425	SILICONE SHOCK OIL, 80 wt, 2 oz bottle	1	3.50

PRECISION SPUR GEARS FOR STANDARD TRANNY, with dif ball holes

8280	75 TOOTH, 48 PITCH	1	4.00
8281	78 TOOTH, 48 PITCH	1	4.00
8282	81 TOOTH, 48 PITCH	1	4.00

8283	83 TOOTH, 48 PITCH	1	4.00
8284	85 TOOTH, 48 PITCH	1	4.00
8285	87 TOOTH, 48 PITCH	1	4.00

PRECISION SPUR GEARS FOR ASSOC. TRANNY, no dif ball holes



6693	81 TOOTH, 48 PITCH	1	4.00
6694	85 TOOTH, 48 PITCH	1	4.00
6695	87 TOOTH, 48 PITCH	1	4.00
6697	83 TOOTH, 48 PITCH	1	4.00

PRECISION MACHINED RACING PINION GEARS

8252	15 TOOTH, 48 PITCH	1	6.00
8253	16 TOOTH, 48 PITCH	1	6.00
8254	17 TOOTH, 48 PITCH	1	6.00
8255	18 TOOTH, 48 PITCH	1	6.00
8256	19 TOOTH, 48 PITCH	1	6.00
8257	20 TOOTH, 48 PITCH	1	6.00
8258	21 TOOTH, 48 PITCH	1	6.00
8259	22 TOOTH, 48 PITCH	1	6.00
8260	23 TOOTH, 48 PITCH	1	6.00
8261	24 TOOTH, 48 PITCH	1	6.00
8262	25 TOOTH, 48 PITCH	1	6.00
8263	26 TOOTH, 48 PITCH	1	6.00
6951	4-40 X 1/8" SET SCREW, with wrench	6	2.50

STOCK PINION GEARS

6672	14 TOOTH, 48 PITCH	1	4.00
6673	15 TOOTH, 48 PITCH	1	4.00
6674	16 TOOTH, 48 PITCH	1	4.00
6675	17 TOOTH, 48 PITCH	1	4.00
6676	18 TOOTH, 48 PITCH	1	4.00
6677	19 TOOTH, 48 PITCH	1	4.00
6678	20 TOOTH, 48 PITCH	1	4.00
6679	21 TOOTH, 48 PITCH	1	4.00
6680	22 TOOTH, 48 PITCH	1	4.00
6681	23 TOOTH, 48 PITCH	1	4.00
6682	24 TOOTH, 48 PITCH	1	4.00
6683	25 TOOTH, 48 PITCH	1	4.00
6684	26 TOOTH, 48 PITCH	1	4.00
6951	4-40 X 1/8" SET SCREW, with wrench	6	2.50

WHEELS & TIRES

See Associated's web site or full-color Pictorial Catalog for pictures of all our wheels and tires

ACCESSORIES & SPRAY

6859	TRACTION ACTION TIRE SPRAY. Increases traction and life of tire. 4 oz. bottles sold in cases of 12 only . Price reflects \$6.00 per bottle. (Purchase individual bottles at your hobby shop or race track.)	1 case	72.00
8877	DS HUB CAP, yellow. Incl. front and rear pairs	4	6.00
8878	DS HUB CAP, black. Incl. front and rear pairs	4	6.00
8879	DS HUB CAP, gold. Incl. front and rear pairs	4	6.00

FRONT WHEELS & TIRES			
8889	DS FOAM TIRE INSERT, fits front and rear tires	4	3.00
8880	DS FRONT WHEEL, chrome	pr	6.00
8881	DS FRONT WHEEL, black	pr	5.00
8886	DS FRONT TIRE, G-compound rubber	pr	11.50
6599	BUSHING, 3/16 X 3/8	4	2.00
6906	3/16" X 3/8" BALL BEARING, unflanged	pr	13.00

REAR WHEELS & TIRES			
8889	DS FOAM TIRE INSERT, fits front and rear tires	4	3.00
8890	DS REAR WHEEL, chrome	pr	6.00
8891	DS REAR WHEEL, black	pr	5.00
8895	DS REAR TIRE, semi-pneumatic rubber, ProLine XTR-M2 compound with foam inserts	pr	12.50

REEDY MODIFIEDS PRODUCTS MOTORS

REEDY STOCK MOTORS

Our latest generation stock motors offer laydown brushes and our updated 1.4mm thick can design. In addition the motor uses an entirely new magnet construction along with a new brush vibration dampening system. The plus versions are the same quality stock motors, but they come with our #768 brushes (FireHawk Plus) or #767 brushes (Conquest Plus), and #742 off road springs. They are also dyno tested and come with the dyno print out sheet that shows you the results of the dyno testing. Both versions of the Fire Hawk model are ROAR and NORRCA legal for racing.

300	FIRE HAWK STOCK, 27 turn/ROAR specification	1	36.00
301	FIRE HAWK PLUS, dyno sheet included	1	40.00
302	CONQUEST 27 STOCK, 36°	1	36.00
303	CONQUEST PLUS, dyno sheet included	1	40.00
580	DS SPEC MOTOR, 23 turn, 0.8mm wire, 18° fixed timing, bushing, replaceable brushes. Standard, spec stock motor included in #8080 and 8081 DS kits.	1	30.00

DS MODIFIED COMPETITION MOTORS

Designed for Trans Am and touring car racing, each motor is hand wound, dynamically balanced, and assembled complete with adjustable timing and dual ball bearings.

586	DS "Z" 17 turn triple	1	55.00
587	DS "B" 15 turn triple	1	55.00
588	DS "A" 14 turn triple	1	55.00
589	DS "E" 13 turn triple	1	55.00
590	DS "H" 12 turn triple	1	55.00
591	DS "T" 11 turn triple	1	55.00
592	DS "Y" 10 turn triple	1	55.00

REEDY MODIFIED, SONIC SERIES

"Turbo Cooled" modified motors with "M" magnets. See Sonic portion of Motor Accessories section for springs and brushes.

525	SONIC "A" 14 turn triple	1	85.00
529	SONIC "E" 13 turn triple	1	85.00
531	SONIC "G" 11 turn quad	1	85.00
533	SONIC "L" 14 turn double	1	85.00
534	SONIC "M" 13 turn double	1	85.00
535	SONIC "O" 11 turn double	1	85.00
538	SONIC "S" 12 turn double	1	85.00
539	SONIC "?" 10 turn double	1	85.00
541	SONIC "T" 11 turn triple.	1	85.00
542	SONIC "Y" 10 turn triple	1	85.00
544	SONIC "I" 12 turn quint	1	85.00
545	SONIC "W" 11 turn quint	1	85.00
546	SONIC "U" 10 turn quint	1	85.00
547	SONIC "X" 10 turn quad	1	85.00

REEDY MODIFIED, SONIC2 SERIES

The Sonic2 laydown brush modified motor updates the Sonic motor series by offering the same improvements we are using on the new stock and Tri Sonic modified motors. The large commutator and laydown brushes make this a great high load or torque application motor with only slightly less RPM than the Tri Sonic motor series.

350	SONIC 2 "S" 12 turn double	1	90.00
351	SONIC 2 "O" 11 turn double	1	90.00
352	SONIC 2 "?" 10 turn double	1	90.00
354	SONIC 2 "T" 11 turn triple	1	90.00
355	SONIC 2 "X" 10 turn quad	1	90.00
356	SONIC 2 "W" 11 turn quint	1	90.00
357	SONIC 2 "J" 12 turn quad	1	90.00
358	SONIC 2 "M" 13 turn double	1	90.00
364	SONIC 2 "92" 9 turn double	1	90.00

REEDY MODIFIED, ULTRA SONIC SERIES

Modified motors with "M" magnets, 1.3mm can, small commutator.

560	ULTRA SONIC "S" 12 turn double	1	85.00
561	ULTRA SONIC "I" 12 turn quint	1	85.00
562	ULTRA SONIC "W" 11 turn quint	1	85.00
564	ULTRA SONIC "C" 13 turn quad	1	85.00
565	ULTRA SONIC "M" 13 turn double	1	85.00
566	ULTRA SONIC "P" 13 turn quint	1	85.00
567	ULTRA SONIC "L" 14 turn double	1	85.00
568	ULTRA SONIC "D" 14 turn quad	1	85.00
569	ULTRA SONIC "F" 15 turn quad	1	85.00
570	ULTRA SONIC "V" 16 turn quad	1	85.00


REEDY TRI SONIC SERIES

Reedy Has taken the design of the Ultra Sonic motor to a higher performance level. This standard upright brush motor uses the same improved can and magnet design as our new stock motors. It also uses the new brush dampening system that helps improve brush and commutator life. The upright brush design makes this a high RPM motor design.

310	TRI SONIC "S" on road, 12 double	1	90.00
311	TRI SONIC "I" on road, 12 turn quint	1	90.00
312	TRI SONIC "M" on road, 13 double	1	90.00
313	TRI SONIC "C" on road, 13 triple	1	90.00
314	TRI SONIC "D" on road, 14 quad	1	90.00
315	TRI SONIC "B" on road, 15 triple	1	90.00
316	TRI SONIC "V" on road, 16 quint	1	90.00
317	TRI SONIC "O" 11 turn double	1	90.00
318	TRI SONIC "P" 13 turn quint	1	90.00
319	TRI SONIC "A" 14 turn triple	1	90.00
320	TRI SONIC "F" 15 turn quint	1	90.00
321	TRI SONIC "X" 10 turn quad	1	90.00
323	TRI SONIC "?" 10 turn double	1	90.00
324	TRI SONIC "Y" 10 turn triple	1	90.00
326	TRI SONIC "93" 9 turn triple	1	90.00

MOTOR ACCESSORIES

6515	MOTOR MOUNTING SCREW, 3mm metric	4	1.00
6520	CAPACITORS, noise suppression, 0.10 uf.	2	2.00
745	SCHOTTKY DIODE, special diode for high frequency motors. Brakes run cooler and work more effectively. Helps improve battery regeneration.	2	5.25
SP-300	REEDY COMM LATHE, commutator truing lathe for modified motors only	1	250.00*
SP-301	CARBIDE INSERT, replacement cutter tip for motor truing lathe tool	1	20.00**
SP-302	LATHE BATTERY PACK, 5 cell (6 volt) for use as a lathe power source	1	20.00**



MODIFIED MOTOR BRUSHES AND SPRINGS for standard commutator motors

730X	NEW & IMPROVED PERFORMANCE BRUSH. Low resistance, long com life	pr	3.00
732X	NEW & IMPROVED 1:12 AND 1:10 ON ROAD BRUSH. Competition on road brush only. Short brush and com life.	pr	3.00
733	STANDARD ON ROAD CLIPPER BRUSH, with slotted, adjustable contact area. Allows brushes to be tuned for motor and track. Standard brush, on road and stock motor compound	pr	4.50
734	STANDARD OFF ROAD CLIPPER BRUSH, with slotted, adjustable contact area. Allows brushes to be tuned for motor and track. Standard brush, off road compound	pr	4.50
737X	NEW STANDARD 1:10 OFF ROAD BRUSH. Used in assembly of all stand up motors.	pr	3.00
740	COPPER HEAD SPRING, for off road racing	pr	2.50
741	COPPER HEAD SPRING, on road, low resistance, high temperature.	pr	2.50

STOCK MOTOR BRUSHES AND SPRINGS for large commutator motors

742	SONIC MOTOR SPRING, High tension copper clad mat'l. Off road and on road uses.	pr	3.00
760X	NEW LAYDOWN 1:10 OFF ROAD BRUSH, same compound as 737X brush. Low resistance, long com life.	pr	3.00
762X	NEW LAYDOWN PERFORMANCE BRUSH. Same compound as 730X brush. Low resistance & long comm. life.	pr	3.00
767	SERRATED BRUSH, contoured for laydown stock motor.	pr	3.00
768	SERRATED BRUSH, vertical slot for laydown stock motor.	pr	3.50

MOTOR PARTS

ARMATURES

Small com, tapered shank, hand wound, epoxy dipped and zero gravity baked for precise balancing. Armature cut to perfection, epoxy balanced, then drill balanced for the final touch.


450	SMALL COM ARMATURE 11 turn double	1	35.00
451	SMALL COM ARMATURE 11 turn triple	1	35.00
452	SMALL COM ARMATURE 12 turn double	1	35.00
453	SMALL COM ARMATURE 12 turn quint	1	35.00
454	SMALL COM ARMATURE 13 turn double	1	35.00
455	SMALL COM ARMATURE 13 turn quint	1	35.00
456	SMALL COM ARMATURE 14 turn triple	1	35.00
457	SMALL COM ARMATURE 14 turn quint	1	35.00
458	SMALL COM ARMATURE 15 turn triple	1	35.00
459	SMALL COM ARMATURE 16 turn triple	1	35.00

Large com, cooling fans for heavy loads, tapered shank, hand wound, epoxy dipped and zero gravity baked for precise balancing. Armature com cut to perfection, epoxy balanced, then drill balanced for the final touch.

470	LARGE COM ARMATURE 10 turn double	1	35.00
471	LARGE COM ARMATURE 10 turn quad	1	35.00
472	LARGE COM ARMATURE 11 turn double	1	35.00

473	LARGE COM ARMATURE 11turn quad	1	35.00
474	LARGE COM ARMATURE 12 turn double	1	35.00
475	LARGE COM ARMATURE 12 turn quint	1	35.00
OTHER MOTOR PARTS			
440	MOTOR BALL BEARINGS, replacement modified motor ball bearings, 1/8" I.D. x 3/8" O.D. unflanged.	pr	15.00
442	MODIFIED MOTOR END BELL. For standard commutator. Upright brush style. With ball bearing installed	1	24.00
443	MODIFIED MOTOR END BELL. For large commutator. Laydown brush style. With ball bearing installed.	1	24.00
445	MODIFIED MOTOR CAN. Replace worn out and demagnetized cans for new ones. Yokomo can with 4.9 magnets and ball bearing installed.	1	24.00
446	SHIM KIT, fifteen precision shims for spacing armatures. Five each of .010", .005", & .003" sizes. Comes with instructions. Will also fit any 1/8" shaft or pin for removing excess end play.	15	2.50

REEDY NI-CAD BATTERIES



REEDY ZAPPERS BATTERIES

REEDY ZAPPERS BATTERIES with NEW Voltage Maximizing Technology jointly developed and used exclusively by Reedy Modifieds and Team Orion

640	REEDY NOVA ZAPPERS, unmatched & unassembled 6-cell. Each cell goes through special high voltage treatment process, giving you high voltage cells in a sport pack.	6	65.00
642	REEDY ZAPPERS, cycled & matched, unassembled 6-cell with high voltage processing. Recommended for stock class racing and four minute off road racing.	6	90.00
643	REEDY ZAPPERS, cycled & matched unassembled 7-cell with high voltage processing.	7	105.00
644	REEDY WC ZAPPERS, cycled & matched premium unassembled 6-cell w/high voltage processing. Recommended for on road, oval and truck competition.	6	120.00
645	REEDY NOVA-ZAPPERS 2000, unmatched, but have high voltage. Unassembled. Great for all-around racing.	6	75.00
646	REEDY ZAPPERS 2000, Incorporates the Sanyo RC2000 batteries and VMT. Unassembled. Recommended for off road racing and stock class racing.	6	90.00
647	REEDY WC ZAPPERS 2000, the top percentage of cells cycled, voltage processed, and matched. Unassembled. Recommended for on road racing and 6 cell truck racing.	6	110.00

NOVA SERIES 1700 mAH SCRC

636	NOVA, 6 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or club level on road.	6	61.50
637	NOVA 7 cell matched unassembled pack, 1700 mAH SCRC-SP cells, for off road or club level on road.	7	71.75

BATTERY ACCESSORIES

650	BATTERY BRAID STRIPS	6	1.50
651	REEDY BATTERY BARS, silver treated battery bars for assembling individual cells into packs. Low electrical resistance for more power. Higher strength reinforces construction of your pack. Soldering is easier.	6	4.00
652	BATTERY POWER CONNECTOR PINS. Eliminates hassle of soldering battery pack to radio leads. Quick connect/disconnect	5pr	10.00

REEDY T-SHIRT



See Associated's Pictorial Catalog for full-color pictures of all items below

SP-37	REEDY FIRE HAWK T-SHIRT. Fluorescent orange "Fire Hawk" and white Reedy logo on black T-shirt. Printed both sides. Specify XL only	1	11.00*
SP-37 XXL	REEDY FIRE HAWK T-SHIRT. Fluorescent orange "Fire Hawk" and white Reedy logo on black T-shirt. Printed both sides. Specify XXL only	1	13.00*

REEDY BODY ACCESSORIES


711	REEDY CAR WASH. Great for cleaning gas and electric cars and bodies. Lexan safe and biodegradable. Not for electrical components. 4 oz. bottles sold in cases of 12 only. Price reflects \$6.00 per bottle. (Purchase individual bottles at your hobby shop or race track.)	12	72.00
717	REEDY MODIFIED DECALS, 1995 style Reedy Logo, 3 sizes in both black and white (5.5" x 8.5" sheet)	1	2.50
718	REEDY MODIFIED DECALS, 1995 style Reedy Logo, 3 sizes in both fluorescent red and green (5.5" x 8.5" sheet)	1	3.50

ELECTRICAL




3504	MOTOR CONNECTOR, JST type	pr	1.00
3505	MOTOR CONNECTOR, AMPS type	pr	2.00
3715	RADIO DROPPING DIODE	2	1.00
3721	SELF-TAPPING SCREW, 2-56 X 1/4"	12	1.00
3737	16 GAUGE STRANDED, SUPERFLEX WIRE, high temp. silicon rubber insulation. 2 ft. of orange, 2 ft. of black	2	5.00
6726	NEW IMPROVED SERVO TAPE, black roll, same adhesion, but easier to remove	36"	2.50
7709	NYLON WIRE TIES, 4 inch each	12	1.25
3719	NYLON WIRE TIE, 6" heavy duty	12	2.00
3720	NYLON WIRE TIE, 8" heavy duty	12	2.00
7527	THROTTLE SERVO MOUNTS, MOLDED	2pr	2.50
6711	RESISTOR, throttle control, Yokomo	1	15.00
6712	WIPER, throttle control	2	2.50
6714	BYPASS KIT, for throttle resistor	1	3.50
3736	FAST-CHARGE CORD, 6-cell packs	1	5.50
6742	CONNECTOR, 2 male-pin, 7" silicon lead	1	2.50
6743	CONNECTOR, 2 female-pin 7" silicon lead	1	2.50
6744	WIRE HARNESS, input, 3-pin, w/radio diode	1	4.50
6745	WIRE HARNESS, output, 2-pin, with motor capacitor	1	3.00
6746	ADAPTER, Tamiya battery to RC10 or charger	1	4.00
6747	WIRE HARNESS, output, Tamiya plug with B.E.C. connector	1	3.00
8850	DS RESISTOR BRACKET, alum., black anodized	1	7.00

TOOLS & HARDWARE



TOOLS

SP-82	11/32" NUT DRIVER	1	7.50*
SP-86	3/16" NUT DRIVER	1	7.50*
6950	ALLEN WRENCH set, 3/32", 5/64, 1/16, .050	4	2.50
6955	SHOCK/TURNUCKLE WRENCH, original Associated tool (silver colored)	1	2.50
6957	.050" ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (clear anodized)	1	10.50
6958	1/16" ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (black anodized)	1	10.50
6959	5/32" ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (blue anodized)	1	10.50
6960	3/32" ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (gold anodized)	1	10.50
6961	2.5mm ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (green anodized)	1	10.50
6962	1.5mm ALLEN DRIVER, precision ground replaceable tip, alum. hex handle (purple anodized)	1	10.50
6964	.050 REPLACEMENT TIP, precision ground	1	5.50
6965	1/16" REPLACEMENT TIP, precision ground	1	5.50
6966	5/64" REPLACEMENT TIP, precision ground	1	5.50
6967	3/32" REPLACEMENT TIP, precision ground	1	5.50

Part #	Description	Qty	Price	Part #	Description	Qty	Price
6968	2.5mm REPLACEMENT TIP, precision ground	1	5.50	MISCELLANEOUS			
6969	1.5mm REPLACEMENT TIP, precision ground	1	5.50				
8416	SHOCK/TURNBUCKLE WRENCH, new Associated tool, fits Dynamic Strut Front End (gold colored)	1	2.50				
MISCELLANEOUS HARDWARE							
6270	BALL ENDS, threaded steel ball end	2	2.50	CAR CARRIER EQUIPMENT			
6272	BALL CUP DUST COVER	28	2.00	SP-100	ASSOCIATED CAR CARRIER BOX, cardboard outer box w/locking end flap, unassembled. Includes three 24 x 12 x 6" inner boxes, unassembled (fits inside #SP-415 carrier bag). Due to its large size, an additional \$15.00 must be added to UPS standard shipping charges	1	15.0**0
6273	LONG BALL END, steel. #4-40 long threaded ball studs, with plastic ball cups and nuts. .10" longer thread than #6270	2	2.50	SP-101	INNER BOXES, 24 x 12 x 6", unassembled. Replacement cardboard inner boxes for car carrier box #SP-100	3	5.25**
6299	E-CLIPS for 1/8" shafts	12	1.00	SP-415	ASSOCIATED CAR CARRIER BAG, black nylon with brass zipper (fits over #SP-100 car carrier box)	1	39.9**
NUTS							
3438	ALUMINUM 8-32 LOCKNUT	3	1.50	APPAREL			
4184	4-40 NYLON LOCKNUT	6	1.00	SP-37	REEDY FIRE HAWK T-SHIRT. Fluorescent orange "Fire Hawk" and white Reedy logo on black T-shirt. Printed both sides. Specify XL only	1	11.00*
4185	8-32 NYLON LOCKNUT	6	1.00	SP-410	TEAM ASSOCIATED JACKET, red, white & blue. Fully lined. Specify M, L, XL, XXL, XXXL.	1	59.95**
4449	4-40 LOCKNUT. Gold anodized, small pattern	5	2.50	VIDEOS			
6222	SELF-THREADING NYLON LOCKNUT, for #6220 axles	8	2.00	6977	VHS VIDEO, "R/C Car Racing 1995"	1	19.95
6295	4-40 NUT, 6 each plain nut, nylon and steel locknut	18	2.00	6978	VHS VIDEO, "R/C Car Racing 1996"	1	19.95
6296	8-32 NUT, 6 each aluminum and nylon locknuts	12	3.00	6978P	PAL VIDEO, "R/C Car Racing 1996" Same as #6978, but in international PAL format.	1	19.95
8182	SPECIAL NUT, 8-32. Used for rear suspension mount	6	2.00	6979	VHS VIDEO, "R/C Car Racing 1997"	1	19.95
6937	ALUMINUM #4 LOCKNUT. Blue anodized	6	3.00	6979P	PAL VIDEO, "R/C Car Racing 1997" Same as #6977, but in international PAL format.	1	19.95
7260	4-40 THIN PLAIN NUT	12	2.00	VIDEOS			
WASHERS							
3216	#4 STEEL FLAT WASHER, 1/8" I.D.	12	1.00	VIDEOS			
3323	#8 ALUMINUM FLAT WASHER, thick	12	1.50	VIDEOS			
6936	#4 ALUMINUM FLAT WASHER	10	1.00	VIDEOS			
SCREWS							
							
4334	2-56 X 5/16" BUTTON HEAD Socket Screw	8	1.50	VIDEOS			
6288	4-40 x 1/4" BUTTON HEAD Socket screw	6	2.00	VIDEOS			
6918	4-40 X 1/2" BUTTON HEAD Socket Screw	6	2.00	VIDEOS			
6920	4-40 X 3/16" BUTTON HEAD Socket screw	6	2.00	VIDEOS			
6919	4-40 X 5/16" BUTTON HEAD Socket Screw	6	2.00	VIDEOS			
7633	4-40 X 5/8" BUTTON HEAD Socket Screw	6	2.00	VIDEOS			
6931	8-32 X 1/4" FLAT HEAD Machine Screw	6	1.00	VIDEOS			
6280	8-32 X 1/2" ALUM. FLAT HEAD Screw	16	2.00	VIDEOS			
6291	4-40 X 1/4" FLAT HEAD Socket Screw	6	2.00	VIDEOS			
6933	4-40 x 5/16" ALUM. FLAT HEAD SOCKET Cap Screw	6	2.00	VIDEOS			
6292	4-40 X 3/8" FLAT HEAD Socket Screw	6	2.00	VIDEOS			
6934	4-40 x 3/8" ALUM. FLAT HEAD SOCKET Cap Screw	6	2.00	VIDEOS			
6922	4-40 X 1/2" FLAT HEAD Socket Screw	6	2.00	VIDEOS			
6938	4-40 x 1/2" ALUM. FLAT HEAD SOCKET Cap Screw	6	2.00	VIDEOS			
6923	4-40 X 3/4" FLAT HEAD Socket Screw	6	2.00	VIDEOS			
6284	4-40 x 1/4" ALUM. SOCKET HEAD Cap Screw	12	4.00	VIDEOS			
6285	4-40 X 1/4" SOCKET HEAD Cap Screw	12	2.00	VIDEOS			
6932	4-40 X 5/16" SOCKET HEAD CAP Screw	6	2.00	VIDEOS			
6860	4-40 X 3/8" ALUM. SOCKET HEAD Cap Screw	6	2.50	VIDEOS			
6929	4-40 X 3/8" SOCKET HEAD Cap Screw, with hole	4	2.00	VIDEOS			
6924	4-40 X 3/8" SOCKET HEAD Cap Screw	6	2.00	VIDEOS			
7874	4-40 X 7/16" SOCKET HEAD Cap Screw	8	2.50	VIDEOS			
6925	4-40 X 1/2" SOCKET HEAD CAP Screw	6	2.00	VIDEOS			
6926	4-40 X 5/8" SOCKET HEAD Cap Screw	6	2.00	VIDEOS			
6927	4-40 X 3/4" SOCKET HEAD CAP screw	6	2.00	VIDEOS			
6928	4-40 X 1" SOCKET HEAD CAP Screw	6	2.00	VIDEOS			
6935	4-40 X 1" ALUM. SOCKET HEAD CAP Screw	4	3.00	VIDEOS			
3721	2-56 X 1/4" SELF-TAPPING SCREW	12	1.00	VIDEOS			
6951	4-40 PINION SET SCREWS with wrench	6	2.50	VIDEOS			