

Track Info:


Size: Small Medium
Large X-Large

Surface: Carpet Asphalt
Indoor Outdoor

Traction: Low Medium
High Wet

Condition: Bumpy Smooth

Temperature: Ambient _____ Track _____



Drop: _____ **Ride Height:** _____ **Ride Height:** _____ **Drop:** _____ **Ride Height:** _____

Vehicle Info:

Body: _____
Weight: _____
Notes: _____

Shock:

Piston: _____
Fluid: _____
Spring: _____
Rebound: _____
Pre Load: _____

Free Length:

Notes: _____

Diff Setting:

Loose Medium Tight

Electronics:

Radio: _____
Servo: _____
EPA: Throttle: _____ % Brake: _____ %
ESC: _____
ESC Settings: _____
Motor: _____
Timing: _____
Pinion: _____ **Spur:** _____
Rollout: _____
Battery: _____
Notes: _____

Tires:

Front Tires: _____
Front Tire Dia: _____
Rear Tire: _____
Rear Tire Dia: _____
Notes: _____

| | | |
|-----------------------------|-------------|--------------|
| Front Tire Additive: | Left | Right |
| | | |
| Additive Time: | | |
| | | |
| Rear Tire Additive: | | |
| | | |
| Additive Time: | | |
| | | |

Toe: _____
- _____
0 _____
+ _____

Caster: 0mm 2°
0.55mm 4°
1.10mm 6°
1.65mm 8°

Caster Shims: 2° (0.55mm)
4° (1.10mm)

Shim: _____

Dynamic Strut: 0°
2.5°
5°
7.5°
10°

Track Width Inserts: Composite
Aluminum
0mm
+0.5mm
+1mm
+1.5mm
+2mm

Front Wheelbase: Std
+2mm

Shim: _____

Shim: _____

Shim: _____

Spring: _____

Kingpin Fluid: _____

Shim: _____

Shim: _____

Shim: _____

Shim: _____

Camber: Right: _____
Left: _____

Side Spring: Pre Load: _____
Spring: _____

Damper Tube: Fluid: _____

Pre Load: _____

Free Length: _____

Axle Height: 1.0 0.75 0.5 0.25 0 0.25 0.5 0.75 1.0 STD + 1mm

Shim: _____

Shim: _____

Shim: _____

Shim: _____

Width: _____ **Axle Shim:** _____ **Axle Shim:** _____ **Width:** _____

Servo Position: Right:
Left:

Battery: Inline:
Transverse:
Fwd Mid Back