

Front Suspension:

RESET

Ride Height: 23mm (Body On + 3/4 Tank)

Toe: Tierod Gap = 23.0 mm **Hex:** #81079 +1

Anti-Roll Bar

Size: 2.3 mm

Gap: 1.5 mm

Ackerman

1
2
3

Steering Arm Plate: #81063 +2 (Kit)

Drive Shaft: CVAs: Universals:

Chassis Brace: Short: Long:

Notes: #81085 Servo Saver Arm, Aluminum

Caster Shim: 1 mm

Insert Type: Plastic

Upper Ball Type: #81068 Aluminum

Upper Ball Shim: 1.8 mm

Washers: None

Lower Ball Shim: 0 mm

Wheelbase Shim: 1 mm (Arm Forward)

Insert Type: No Insert

Lower Ball Type: #81068 Aluminum

Upper Arm Mount:

Arm Mount A:

Arm Mount B:

Rear Suspension:

Ride Height: 29 mm (Body On + 3/4 Tank)

Camber: Tierod Gap = 17.1 mm **Hex:** #81079 +1

Anti-Roll Bar

Size: 2.7 mm

Gap: 1 mm

Drive Shaft: CVAs: Universals:

Chassis Brace: Short: Long:

Notes: Rear Shock Standoffs Shimmed Back 5 mm

Hub Shim: Meidum Back / Thick + Thin Front

Wheelbase Shim: 1 mm (Arm Back)

Arm Mount C:

Arm Mount D:

Insert Type: No Insert

Electronics and Engine:

Radio: Sanwa ZZ

Receiver Battery: #27313 Reedy LiPo Pro 2400 mAh 7.4v

Throttle Servo: #27107 Reedy 2707A

Steering Servo: #27107 Reedy 2707A

EPA: Throttle: 55 % Brake: 65 %

Brake Bias: 50%F / 50%R **D/R:** 100% %

Engine: REDS Gen 2 **Temp:** 101c

Muffler: S 2143 **Fuel:** XTR Shoot 25%

Restrictor: 7.5 mm **Glow Plug:** TS3

Notes:

Differential:

	Front	Center	Rear
Fluid:	#5455 FT 10k	#5455 FT 10k	#5453 FT 5k
Gears:	HTC	HTC	HTC
Mass:	N/A	N/A	N/A
O-Rings:	No	No	No

Clutch and Gearing:

Spur Gear: 46 **Bell:** 13

Shoes: Aluminum x 3

Springs: 1.0 mm x 3

Notes: #81002 & 81003 43/13 Ring/Pinion Gearing; Steel Flywheel

Shocks:

	Front	Rear
Piston:	#81200 1.2 x 8 Tapered	#81200 1.3 x 8 Tapered Drilled
Fluid:	#5430 FT 45 wt	#5438 FT 47.5 wt
Bladder:	#81453 Stiff	#81453 Stiff
Rebound:	None	None
Spring:	#81224 V2 Gray	#81230 V2 Gray
Length:	105 mm	124 mm
Notes:	#81174 & #81177 Chrome Shock Shafts; #81407 Machined Shock Internals;	

Track Info:

Size: Small Medium Large Extra Large

Surface: Dirt Carpet Astroturf Multi Surface

Traction: Low Medium High Very High

Moisture: Dry Damp Wet

Condition: Indoor Outdoor Dusty Hard Packed Bumpy Grooved Smooth Loamy

Temperature: Ambient: 19°C Track: N/A

Notes:

Tires:

Front Tire/Compound/Insert/Wheel:

Pro-Line Slidelock / Clay / Pro-Line Closed Cell / Pro-Line Hard

Rear Tire/Compound/Insert/Wheel:

Pro-Line Slidelock / Clay / Pro-Line Closed Cell / Pro-Line Hard

Notes: Foam Glued To The Wheel

Radio Tray Flex Assembly:

Transponder Mount: **None:**

Radio Tray Brace:

Body and Wing:

Body: JConcepts S15

Wing: HB

Wing Height: High: Low:

Gap to Tower: 20 mm

Weight:

Total Weight: 3565g

Notes:

Vehicle Comments:

Notes: #81048 FT Aluminum Tumbuckle Ball Set; T-Works Titanium Screws & Tumbuckles