

Front Suspension:

Ride Height: 23mm (Body Off + Full Tank)

Toe: Tierod Gap = 22.3 mm **Hex:** #81079 +1 (Kit)

Anti-Roll Bar

Size: 2.3 mm

Gap: 1 mm

Ackerman

Steering Arm Plate: #81063 +2 (Kit)

Drive Shaft: CVAs: Universals:

Chassis Brace: Short: Long:

Notes: #81085 Servo Saver Arm, Aluminum
Ackerman Rack Position Towards Front Of Car

Caster Shim: 2.0 mm

Insert Type: #81444 FT Carbon Fiber

Upper Ball Type: #81068 FT Aluminum

Upper Ball Shim: 0 mm

Washers: None

Lower Ball Shim: 0.3 mm

Wheelbase Shim: 1 mm (Arm Forward)

Insert Type: #81440 FT Carbon Carbon Fiber

Lower Ball Type: #81068 FT Aluminum

Upper Arm Mount:

Arm Mount A:

Arm Mount B:

RESET

Rear Suspension:

Ride Height: 26.5 mm (Body Off + Full Tank)

Camber: -1.5° **Hex:** #81079 +1 (Kit)

Anti-Roll Bar

Size: 2.4 mm

Gap: 2 mm

Drive Shaft: CVAs: Universals:

Chassis Brace: Short: Long:

Notes:

Hub Shim: Thick Back / Thin + Medium Front

Wheelbase Shim: 0 mm (Arm Forward)

Arm Mount C:

Arm Mount D:

Insert Type: #81436 FT Carbon Fiber

Electronics and Engine:

Radio: Futaba 7PXR

Receiver Battery: #27313 Reedy 2400 mah

Throttle Servo: #27107 Reedy RT2207A

Steering Servo: #27107 Reedy RT2207A (-12% Expo)

EPA: Throttle: 58 % Brake: 28 %

Brake Bias: 50%/50% **D/R:** 100% %

Engine: AD2 **Temp:** 265F

Muffler: O.S. 2090 **Fuel:** VP Powermaster 30%

Restrictor: 6 mm **Glow Plug:** O.S. P4

Notes: #1368 FT Aluminum Steering Servo Horn, 20mm, 25T

Differential:

	Front	Center	Rear
Fluid:	#5454 FT 7k	#5453 FT 5k	#5452 FT 3k
Gears:	HTC	HTC	HTC
Mass:	N/A	N/A	N/A
O-Rings:	No	No	No

Clutch and Gearing:

Spur Gear: 46 **Bell:** #81374 13T


Shoes: #81375 Hard Aluminum x 2 + #81377 Composite x 2

Springs: #81367 1.00 mm x 2 + #81366 0.95 mm x 2

Notes:

Shocks:

	Front	Rear
Piston:	2x1.4 + 4x1.3 Kit Flat	2x1.3 + 4x1.4 Kit Flat
Fluid:	#5429 FT 35 wt	#5426 FT 27.5 wt
Bladder:	#81184 Emulsion	#81184 Emulsion
Rebound:	None	None
Spring:	Mugen 9.25T/70mm	Mugen 10.75T/83mm
Length:	105.0 mm	126.5 mm
Notes:	#81176 & #81177 Chrome Shock Shafts; #81407 Machined Shock Internals;	



Track Info:

Size: Small Medium Large Extra Large

Surface: Dirt Carpet Astroturf Multi Surface

Traction: Low Medium High Very High

Moisture: Dry Damp Wet

Condition: Indoor Outdoor Dusty Hard Packed
Bumpy Grooved Smooth Loamy

Temperature: Ambient: 60°F Track: 60°F

Notes:

Tires:

Front Tire/Compound/Insert/Wheel:
AKA Impact / SSLW / AKA Red / AKA

Rear Tire/Compound/Insert/Wheel:
AKA Impact / SSLW / AKA Red / AKA

Notes: #1498 FT Tire Balancer

Radio Tray Flex Assembly:

Transponder Mount: **None:**

Radio Tray Brace:

Body and Wing:

Body: #81110 Team Associated Kit

Wing: HB

Wing Height: High: Low:

Gap to Tower: 19 mm

Weight:

Total Weight: 3475g

Notes:

Vehicle Comments:

Notes: