

Driver: Race Team

Event: N/A

Date: Spring 2022

Track: Indoor Grooved

Qualify: N/A

TC:  Main: N/A

Finish: N/A

Best Lap Time: N/A

## Front Suspension:

RESET

Ride Height: 23 mm

Toe: Tierod Gap = 24.6 mm    Hex: #81079 FT +1

Anti-Roll Bar

Size: 2.0 mm

Gap: 2.1 mm

Ackerman

Steering Arm Plate: #81063 +2 Deg

Drive Shaft: CVAs:  Universals:

Notes:

Caster Shim: 1.1

Insert Type: #81533 Winged Plastic

Upper Ball Type: #81068 FT Aluminum

Upper Ball Shim: 1.4 mm

Washers: 0 mm

Lower Ball Shim: 0.35 mm

Wheelbase Shim: 1 mm

Lower Ball Type: #81067 Steel

Insert Type: None

Insert Location: Top:  Bottom:

Upper Arm Mount:

Arm Mount A:

Arm Mount B:

## Rear Suspension:

Ride Height: 25 mm

Camber: Tierod Gap = 18.8 mm    Hex: #81081 FT +0

Anti-Roll Bar

Size: 2.4 mm

Gap: 5.4 mm

Drive Shaft: CVAs:  Universals:

Chassis Brace:

Ball:

Inserts:

Notes:

Hub Shim: Middle (2.5F / 2.5R)

Wheelbase Shim: 0 mm

Arm Mount C:

Arm Mount D:

Wing Height: High:  Low:

Insert Type: None

Insert Location: Top:  Bottom:

## Electronics:

Radio: N/A    Servo: #27153 Reedy RT5012A

EPA: Throttle: 100 %    Brake: 84 %

EXPO: Throttle: 0 %    Brake: 0 %

ESC: #27007 Reedy Blackbox 850R    Motor: #27405 Reedy 1900 KV

Battery: #27382 Reedy SG5 6400 mAh Shorty Saddle  Brick

Battery Position: Rear  Center  Forward

Battery Tray Position: Rear  Forward

Notes: -20 Steering Speed; 16k Drive Frequency; Punch Level 6

## Differential:

	Front	Center	Rear
Fluid:	#5455 FT 10k	#5455 FT 10k	#5446 FT 6k
Gears:	HTC	HTC	HTC
Mass:	2.5g Dry	2.5g Dry	2.5g Dry
Notes:	2.0 - 2.2g Diff Mass When Refilling		

Gearing:

Spur Gear: 46    Pinion: #89598 FT 16T

Notes:

## Shocks:

	Front	Rear
Piston:	#81206 3 x 1.4 + 2 x 1.5 FT Tapered	#81206 3 x 1.5 + 2 x 1.6 FT Tapered
Fluid:	#5434 FT 42.5 wt	#5476 FT 40 wt
Bladder:	#81184 Bleeder (Emulsion)	#81184 Bleeder (Emulsion)
Rebound:	None	None
Spring:	#81224 Gray	#81235 Black
Length:	105.0 mm	127. mm

Notes:

## Track Info:

Size: Small  Medium  Large  Extra Large

Surface: Dirt  Carpet  AstroTurf  Multi Surface

Traction: Low  Medium  High  Very High

Moisture: Dry  Damp  Wet

Condition: Indoor  Outdoor  Dusty  Hard Packed

Bumpy  Grooved  Smooth  Loamy

Temperature: Ambient: 70F    Track: 70F

Notes:

## Tires:

Front Tire/Compound/Insert/Wheel:

Rear Tire/Compound/Insert/Wheel:

Notes:

Radio Tray Flex Assembly:

Transponder Mount:  None:

Radio Tray Brace:

## Body and Wing:

Body: #81583 RC8B4e Gamma

Nose Cone: Standard

Rear Wing: #81554 Team Associated RC8B4

Angle: 0°  2°  4°  Button: Flat  Fin

Vent Holes: 5 mm Across Whole Lip

Weight:

Total Weight:

Notes:

## Vehicle Comments:

Notes: