

| Front | Alignment | Rear |
|----------|---------------|---------|
| 5 mm | Ride Height | 5 mm |
| -2 deg | Camber | -2 deg |
| 4 deg | Caster | N/A |
| N/A | Rear Hub Toe | 0 |
| -1.5 deg | Toe (Total) | 3.5 deg |
| 0 | Hex Spacing | 0 |
| 0 mm | Wheelbase | 1 mm |
| 1-B | Steering Link | N/A |
| 3 mm | Bumpsteer | N/A |

Notes:

Suspension Geometry

| | | |
|------------|----------------------|---------------|
| 1-A | Shock Position | 1-B |
| 1 | Camber Link Position | 3-A |
| silver - 0 | Outer Ball & Shims | silver - 1 mm |
| 2A | FWD Arm Mount | 2A |
| 2 mm | FWD Mount Shims | 0 |
| 2A | RWD Arm Mount | 2A |
| 2 mm | RWD Mount Shims | 2.5 mm |
| 6 | Droop | 5 |
| black | Anti-Roll Bar | black |

Notes:

Shocks

| | | |
|---------|---------|-----------|
| AE 40 | Oil | AE 40 |
| #57 | Piston | #57 |
| 10% | Rebound | 10% |
| AE blue | Spring | AE silver |

Notes: No rebound foam

Differentials

| | | |
|---------------|---------------------|-----------|
| slipper spool | Type | alum diff |
| n/a | Setting | standard |
| B | Cam Holder | B |
| 19 | Belt Tension Number | 30 |

Notes:


Tires

| | | |
|----------------|-------------------|----------------|
| Jaco blue | Tire | Jaco blue |
| n/a | Tire Diameter | n/a |
| n/a | Insert & Wheel | n/a |
| Ground Effects | Additive & Amount | Ground Effects |

Notes: Full additive 5 minutes front and rear

Chassis

Chassis: 2.5 mm
 Top Plate: ITF
 Notes: All hard plastic parts



Transmitter

Turning Circle:
 Steering Expo:
 Brake E.P. :
 Throttle Expo:

Speed Control

S.C. Type:
 S.C. Settings:

Motor

LRP X12 4.)

Gear

21 / 87

Notes

FDR 8.3:1

Body & Wing

Protoform Mazdaspeed 6 / 5mm overhang

Battery

Reedy IB4600 5-cell