



Reedy Zappers SG2 Competition HV-LiPo Batteries

SPECIFICATIONS

[#27333](#)

Reedy Zappers SG2 8200mAh 110C 7.6V Stick

[#27334](#)

Reedy Zappers SG2 6000mAh 110C 7.6V LP Stick

| Model | 27333 | 27334 |
|-------------------|-----------------|-----------------|
| Capacity | 8200mAh | 6000mAh |
| Voltage | 7.6V (2S) | 7.6V (2S) |
| Dimensions (mm) | 137.8x46.7x24.8 | 138.4x46.7x22.3 |
| Max. Charge Rate | 16.4A | 12.0A |
| Discharge Current | 110C | 110C |
| Weight (g) | 330 | Weight (g) |
| Socket | 5mm | Socket |

[#27335](#)

Reedy Zappers SG2 4800mAh 110C 7.6V Shorty

[#27336](#)

Reedy Zappers SG2 5800mAh 80C 7.6V Shorty

| Model | 27335 | 27336 |
|-------------------|----------------|----------------|
| Capacity | 4800mAh | 5800mAh |
| Voltage | 7.6V (2S) | 7.6V (2S) |
| Dimensions (mm) | 95.6x46.7x24.8 | 95.6x46.7x24.8 |
| Max. Charge Rate | 9.6A | 11.6A |
| Discharge Current | 110C | 80C |
| Weight (g) | 205 | 220 |
| Socket | 5mm | 5mm |



Reedy Zappers SG2 Competition HV-LiPo Batteries

#27337

Reedy Zappers SG2 3600mAh 110C 7.6V LP Shorty

#27338

Reedy Zappers SG2 4100mAh 80C 7.6V LP Shorty

| Model | 27337 | 27338 |
|-------------------|----------------|----------------|
| Capacity | 3600mAh | 4100mAh |
| Voltage | 7.6V (2S) | 7.6V (2S) |
| Dimensions (mm) | 92.8x46.5x18.3 | 92.8x46.5x18.3 |
| Max. Charge Rate | 7.2A | 8.2A |
| Discharge Current | 110C | 80C |
| Weight (g) | 155 | 152 |
| Socket | 5mm | 5mm |

#27339

Reedy Zappers SG2 6600mAh 110C 3.8V 1:12

#27340

Reedy Zappers SG2 8200mAh 80C 3.8V 1:12

| Model | 27339 | 27340 |
|-------------------|----------------|----------------|
| Capacity | 6600mAh | 8200mAh |
| Voltage | 3.8V (1S) | 3.8V (1S) |
| Dimensions (mm) | 92.8x46.5x18.3 | 92.8x46.5x18.3 |
| Max. Charge Rate | 13.2A | 16.4A |
| Discharge Current | 110C | 80C |
| Weight (g) | 155 | 152 |
| Socket | 4mm | 4mm |

Reedy Zappers SG2 Competition HV-LiPo Batteries



All-new Reedy Zappers SG2 HV-LiPo batteries are in stock and ready to ship! Zappers SG2 batteries continue to utilize silicon-graphene construction but with an emphasis on reducing internal resistance and increasing cycle life. More power, improved durability, and high capacity provide world-class performance make Zappers SG2 the ultimate choice for 1:10 and 1:12 class racers.

Zappers SG2 batteries feature a 7.6 nominal voltage, meaning that with a suitable charger, the battery can be safely charged to 4.35V/cell. It is not a secret that more voltage equals more power, so there is no easier way to achieve a performance advantage than a higher charge voltage! However, even when the typical 8.40V (4.2V/cell) charging limit is enforced, Zappers SG2 still offers a significant advantage thanks to a flatter discharge curve, which results in more voltage deeper into the race.

Zappers SG2 batteries are available in low-profile (LP) stick and shorty versions as well as a 1S version designed for 1:12 and other classes that require 1S batteries. A high quality, durable hard case helps prevent damage while embedded socket connectors keep power-robbing resistance to a minimum. Male ESC connectors are included.

LiPo battery technology continues to progress and Reedy is proud to bring improved performance to the masses.

Features

- Silicon Graphene HV-LiPo chemistry
- Reduced IR with higher average voltage
- Maximum durability and cycle-life
- Durable hard case with low-resistance connectors
- Built to ROAR/EFRA/BRCA/IFMAR specifications